

AMENDMENTS (clean)

~~A1 Sub B1~~
10. (amended) The composition claim 2, wherein the stabilizers comprise one or more of the group consisting of polyvinyl methyl ether/maleic anhydride Decadiene crosspolymers, acrylates/aminoacrylates C10-30 Alkyl PEG-20 Itaconate copolymer, long chain acyl derivatives, alkanolamides, esters of long chain of fatty acids, alkyl dimethylamine oxides, methylcellulose, hydroxybutyl methylcellulose, hydroxypropylcellulose, hydroxypropyl methylcellulose, hydroxethyl cellulose, distearyl phthalic amide, di(hydrogenated) tallow phthalic amide, primary amines with a fatty alkyl moiety of at least 16 carbons, polyacrylic acids, polysaccharide gums, colloidal clays and colloidal silica.

~~A2 Sub B1~~
18. (amended) The composition of claim 15 wherein the emulsifying agent comprises polyethylene glycol ether of cetearyl alcohol.

~~A3 Sub B1~~
20. (amended) The composition of claim 15 wherein the antioxidant comprises butylated hydroxytoluene.

24. (deleted)

~~A4 Sub B1~~
25. (amended) A composition comprising:

About 44% water;

About 1.1% PVM/MA Decadiene crosspolymers;

About 3% propylene glycol;

About 3% cetearyl alcohol;

About 0.9% polyethylene glycol ether of cetearyl alcohol;

About 4.17% stearalkonium chloride;

About 10% benzyl alcohol;

About 6% hexylene glycol;

About 4% pentylene glycol;

About 20% isopropyl alcohol;

About 2.19% mixture of spinosyn A & D in an approximate 85:15 weight ratio;

About 0.1% BHT; and

About 1.29% sodium hydroxide (10% solution).

26. (amended) A composition comprising:

Water;

A PVM/MA Decadiene crosspolymers;

Propylene glycol;

A mixture of cetyl and stearyl alcohols;

polyethylene glycol ether of cetearyl alcohol;

Stearalkonium chloride;

Benzyl alcohol;

Pentylene glycol;

Isopropyl alcohol;

A4
Cont'd

AG
concl'd

A mixture of spinosyn A and spinosyn D in a weight ratio of approximately 85:15;

BHT; and

Sodium hydroxide.
